



CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



C-series		Lengths	Euro's
	C-Line Analogue RCA Yearly What Hi-Fi? Award winner from 2015-2023! Oxygen-free copper multi-stranded conductors (signal, return and Array). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible	0,5m	79
		1m	99
		2m	129
		3m	159
	C-Jack The Chord C-Jack is designed to work with all line-level components: mobile players, phones, laptops, cd-players, streaming devices & amplifiers. This cable benefits from the same design principles as the award winning C-Line analogue interconnect cable. Available as 3.5mm mini-jack to 3.5mm mini-jack and 2 RCA to mini-jack 3.5mm	0,75m	89
		1m	99
		1,5m	109
		3m	159
	C-Sub RCA subwoofer Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reduced signal loss caused by high-frequency interference. Unique gold plating RCA plug improves signal transfer. Over moulded plug surround provides high reliability.	3m	79
		6m	129
		8m	159
		10m	199
	C-Digital RCA ARRAY conductor geometry, oxygen free copper conductors, High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provides high reliability and zero conductor compression	0,5m	89
		1m	99
	C-Lite optical From pocket-size portable up to longer lengths for use in home systems. V bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket. with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a tight bend radius without affecting the light-carrier. Available: Toslink to Toslink, Toslink to mini-jack (all lengths) and mini-jack to mini-jack (15cm and 30cm only)	15cm	79
		30cm	79
		1m	99
		2m	129
		3m	159
		5m	229
		8m	329
	C-USB Heavy gauge, oxygen-free, silver plated conductors. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration. NEW! Also Available with USB-C (A-C/C-B/C-C) 0,5m 89,- 1m 99,- 2m 129,- 3m 159,-	0,75m	89
		1,5m	109
		3m	159
		5m	229
	C-Stream For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket.	0,75m	89
		1,5m	109
		3m	169
		5m	229
		10m	389
		15m	549
	C-View HDMI The C-view HDMI cable is a cost-effective, high-performance display connection featuring heavily-shielded copper conductors and is available in lengths of 0,75m, 1m, 1,5m, 2m and 3m. C-view HDMI benefits from a 48Gbps bandwidth with a resolution of 8K at 60hz, or 4k at 120hz. It supports Dynamic HDR, HDCP2.3, eARC, 3D and all HDMI audio formats. Chord Company C-view HDMI is a certified Ultra High Speed HDMI Cable	0,75m	79
		1m	89
		1,5m	99
		2m	109
		3m	129
	C-ScreenX Speaker cable A discreet and easy to fit cable, but with the performance benefits of shielded conductors. C-screenX is just 7mm in diameter and flexible enough to route around corners with ease. Now featuring improved XLPE insulation, it joins the award winning line-up of Chord Company shielded speaker cables. *Pair price includes 4 banana on both sides, trousers and labour. 50 and 100m Reels available. Spades at extra cost.	1,5m pair	219
		2m pair	239
		3m pair	279
		4m pair	319
		5m pair	359
		mono m	19,9
		spade p.p	6,99
		termin.	159

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Clearway		Lengths	Euro's
	ClearwayX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/3.5mm ClearwayX is hand built in the UK. ClearwayX features our latest enhanced ARAY geometry and shielding systems. Now featuring XLPE insulation and ChorAlloy™ plated VEE3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. What Hi-Fi? Award Winner from 2017 to 2023 yearly! - Best analogue Interconnect £ 100+	0,5m	169
		1m	199
		Extra M.	69,9
		TT Fly lead	279
		1,2m	
	ClearwayX subwoofer RCA The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with ChorAlloy™ plated VEE3 RCA plugs and upgraded with the latest XLPE insulation. Custom terminations and lengths available.	3m	169
		5m	229
		7m	299
		Extra M.	39,9
	ClearwayX Analogue XLR ClearwayX analogue XLR pair is fitted with Neutrik plugs containing Chord Company ChorAlloy™ plated connector pins and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections	0,5m	239
		1m	279
		Extra M.	79,9
	Clearway Digital Coax RCA / RCA-Mini-Jack / BNC Tuned ARAY conductor configuration. Clearway Digital is fitted with ChorAlloy™ plated Chord Company VEE 3 RCA plugs, BNC connectors and/or mono mini-jacks to suit mini/portable DAC's etc.	0,5m RCA	169
		1m RCA/M	199
		1m BNC-M	199
		Extra M.	69,9
		1m 2BNC MiniJack	399
	Clearway USB (USB A-B) The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparent sound and carries digital signals with a high degree of accuracy.	0,75m	179
		1,5m	229
		3m	329
		5m	459
	Clearway USB (USB A-C, C-B and C-C) The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparent sound and carries digital signals with a high degree of accuracy.	0,5m	169
		1m	199
		2m	269
		3m	329
	Clearway HDMI AOC (AOC starting from 1,5m) The new 48GBps-bandwidth Clearway HDMI AOC cable benefits from the highest OM3 grade (over 10-Gigabit-bandwidth glass fibres), rather than the typical OM2 (1 GB). Resolution is up to 10K (30 Hz) from the four-fibre/seven-wire configuration which is protected with foam/ Polyethylene insulation, a dual aluminium foil shield and a PVC jacket. Alongside full 4K/8K/10K HDR picture quality , the high-speed Clearway HDMI benefits from improved audio performance.	0,75m	119
		1m	129
		1,5m	149
		2m	159
		3m	189
		5m	249
		8m	339
	ClearwayX speaker cable What Hi-Fi? Best Speaker Cable award for many years. 14 AWG multi-strand oxygen-free copper conductors. XLPE insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with ChordOhmic speaker connectors featuring our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trousers and labour. Spades at extra cost.	2m pair*	289
		3m pair*	349
		mono m.	31,9
		spade ext	6,99
		price per piece	

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Clearway		Lengths	Euro's
	Clearway Power Cable EU Chord Company Clearway Power is the perfect first stage power supply upgrade for any level of system. Clearway Power is a unique Chord Company design, hand-built and rigorously tested in the UK. The unique and highly dual-foil screen, combined with the high-purity multistrand copper conductors and high-spec plugs has allowed us to offer an impressive level of performance at an affordable price. Available with C7 (figure 8) C13 (10 Amp) and C19 (figure 8) connector. Powerhaus uses C19.	1m	199
		1,5m	229
		2m	259
		3m	329
		FIG8 1m	259
		FIG8 1,5m	289
		FIG8 2m	329
		FIG8 3m	389
		Extra m.	69,9
	Clearway Streaming Clearway streaming cable has been designed to virtually eliminate the pickup of external high-frequency noise that can interfere with your enjoyment of streamed digital audio and video. Noise can find its way into the signal grounds and affect the performance of both digital and analogue circuits. Although the digital information is very robust this unwanted noise can compromise the final performance	0,75m	179
		1,5m	229
		3m	329
		5m	459
		10m	789
		15m	1119
		20m	1439

Did you know that The Chord Company can make almost any cable at specific lengths? Ask your retailer for a quotation for your desired cable.

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Shawline		Lengths	Euro's
	ShawlineX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm Unique Tuned ARAY technology. Upgraded with the latest XLPE-insulated silver-plated conductors. Multiple shielding material works over a wide band and reduces noise. ChorAlloy™ plated VEE 3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to mini-jack version also available. DIN is well suited for Naim and Quad systems.	0,5m	329
		1m	389
		Extra M.	129
		TT Fly lead 1,2m	419
	ShawlineX Array Analogue Subwoofer Silver-plated conductors, upgraded with the latest XLPE-insulation and high-frequency effective, multi-layer shield. Fitted with ChorAlloy™ plated RCA plugs. Features Tuned ARAY conductors geometry.	3m	329
		5m	469
		7m	609
		Extra M.	69,9
	ShawlineX ARAY Analogue XLR All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable. Now with XLPE-insulation and ChorAlloy™ plated connector pins.	0,5m	479
		1m	559
		Extra M.	159
	Shawline Digital RCA / BNC / USB Hearing what the bass and drums are doing is great, but it's pointless if they are not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with ChorAlloy™ plated plugs.	0,5m	329
		1m	389
		Extra M.	139
		1m 2BNC	779
		MiniJack Extra M.	269
	Shawline Streaming High-speed, silver-plated copper conductors. Individually shielded twisted pairs with overall shield. FEP insulation. 24ct. Gold-plated signal contacts. Over-moulded zinc plug surround.	0,75m	359
		1,5m	459
		3m	649
		5m	919
	ShawlineX speaker cable Silver-plated, 16 AWG oxygen-free copper. Similar spec to the famous Chord RumourX, but enhanced with high-density, dual-layer shielding, LS0H interlayer and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors featuring our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trousers and labour. Spades at extra cost.	2m pair*	409
		3m pair*	539
		mono m.	62,9
		spade ext	6,99
		price per piece	
	Shawline Power EU A high-specification mains cable design that evolved from the previous Powerhouse now featuring an improved, thicker stranded conductor. The shielding also from a redesigned, higher gauge braid wire. Also available in custom lengths. European mains plug available with C7 (figure 8) C13 (10 Amp) and C19 (16 Amp). Powerhaus uses C19.	1m	389
		1,5m	459
		2m	519
		FIG8 1m	459
		FIG8 1,5m	519
		FIG8 2m	589
		Extra m	129

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Epic		Lengths	Euro's
	EpicX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm EpicX ARAY features our unique ARAY conductor technology, the latest XLPE insulation fitted with ChorAlloy™ plated VEE 3 RCA Plugs. EpicX Aray is built from heavy gauge silver-plated, multi-strand, oxygen-free copper conductors. Detailed performance, but conveys the extra information with coherence. Genuinely musical and involving sound.	0,5m 1m Extra Meters TT Fly lead 1,2m	649 779 269,9 899
	EpicX ARAY Analogue Subwoofer High-quality subwoofer cable now featuring XLPE insulation and ChorAlloy™ plated VEE 3 RCA Plugs. Custom lengths and terminations to order. Designed to complement the Epic range and enhance any high-spec music/TV/movie/game/multi-media system. Built by hand at the Chord Company with unique ARAY conductor technology.	3m 5m 7m Extra Meters	649 909 1159 129,9
	EpicX ARAY Analogue XLR Hand-built with the same XLPE insulated internal conductors as EpicX ARAY, adapted to include an extra conductor to produce the optimum (neutral, balanced) performance for XLR-fitted equipment. XLR connectors with ChorAlloy™ plated connector pins.	0,5m 1m Extra Meters	949 1099 329
	Epic Digital RCA / BNC / XLR (AES-EBU) Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better rhythm and the critical micro details that mean so much to music. Fitted with ChorAlloy™ plated RCA, BNC or XLR connectors.	0,5m 1m Extra Meters	649 779 269,9
	Epic USB Benefits from the unique Chord Co Tuned ARAY conductor technology and high-quality screening/shielding materials that help to reduce interference. This cable benefits from refined USB connectors (Type A and B), ChorAlloy™ plated to our specifications in the UK, with all connections soldered by our engineers.	1m Extra Meters	779 269,9
	Epic Streaming Developed for and tested with digital audio streamers. High-quality silver-plated conductors, high-speed insulation materials, high-density separate pair shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins.	1m Extra Meters	779 269,9
	EpicX speaker cable Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with XLPE. High-frequency combination shield of overlapped high-density tight-weave metal braid. Outer PVC jacket provides mechanical damping. Terminated with ChordOhmic speaker connectors that benefit from our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trousers and labour. Spades at extra cost.	2m pair* 3m pair* Extra Mono n spade extra price per piece	659 909 124,9 6,99
	EpicXL speaker cable Similar spec to EpicX, but further enhanced with separately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built in terminated sets. Every set of EpicXL speaker cable is built to order and terminated at our UK factory with ChordOhmic plugs with ChorAlloy™ plating. Available with 4mm banana plugs or spade connectors. Separately available: Speaker Links Spade to Banana 28cm	2m pair 3m pair Extra Mono n Speaker Links 28 cm	1099 1639 269,9 199
	Epic Power Cable EU Chord Company Epic Power is a high-specification mains cable for hi-fi and audiovisual systems. Hand-built in the UK, the design incorporates our unique ARAY conductor technology and is available fitted with high-spec 10 or 16mm² or FIG 8 connectors and Euro mains connectors	1m 1,5m 2m FIG8 1m FIG8 1,5m Extra Meters	779 909 1039 849 979 269,9

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Signature		Lengths	Euro's
	SignatureX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm A design perfected for 25 years, continuous development and taking advantage of the latest technological improvements keep it at the cutting edge. Separately shielded silver-plated conductors. Tuned Array conductor geometry. Dual layer foil shield. Density braid. Performance Chord PTFE plug surrounds. Connectors feature the latest ChorAlloy™ plating. Tonearm version available with straight or right-angle plug.	1m Extra Meters TT Fly lead 1,2m	1559 519,9 1699
	SignatureX ARAY Analogue Subwoofer Dedicated Signature subwoofer cable designed with all the technology of the Signature ARAY analogue Signature range. Designed for mid-to-high-end surround systems. Available to order in custom lengths and a variety of terminations.	3m 5m Extra M	1299 1799 249,9
	SignatureX Tuned ARAY Analogue XLR Two signal wires carry the hot (in phase) and cold (out of phase) signals, with an identical conductor to carry the earth/return signal. This takes the shield off the signal circuit, reducing unwanted interference. Now featuring XLPE insulation and ChorAlloy™ contact plating	1m Extra Meters	2199 599,9
	Signature Digital RCA / BNC / XLR (AES-EBU) Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and quality 75ohm BNC Plugs. AES/EBU version also available. Ultra low mass ChorAlloy™ plated RCA connectors with machined PTFE plug surround.	1m Extra Meters	1559 519,9
	Signature Super ARAY USB Four separately shielded, silver-plated bi-conductors, insulated with PE/PTFE. Fitted with dual layer high frequency effective shielding and Super ARAY conductor geometry. USB plugs are ChorAlloy™ plated to our specification in the UK.	1m Extra Meters	1559 519,9
	Signature Streaming Precision RJ45 connectors (gold plated contacts and soldered conductors) along with the unique hard skin insulation. Heavy gauge silver-plated conductors and an effective shielding system. Super ARAY geometry developed for streaming cables.	1m Extra Meters	1559 519,9
	SignatureXL speaker cable The latest version of what was our first shielded speaker cable. An instant success when launched. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminations. Standard colours are red and black or all-black. Built with factory-fitted Chord 4mm banana plugs or ChordOhmic spades with ChorAlloy™ plating	2m pair* 3m pair* 5m pair* Extra Mono m.	2199 3299 5499 549,9
	Signature Speaker Links Designed to replace the pressed-metal versions used to bridge inputs on hi-fi speakers. Easy to fit and can bring startling improvements to sound quality. This is based closely on Chord Signature speaker cable but will work with any speaker cable. Featuring the ChordOhmic plugs with ChorAlloy™ plating. Available in 4mm banana to 4mm banana or 4x spade to spade. Length 200mm.	spade 2 4mm or spade 2 spade price includes 4 links	399
	SignatureX Power Cable EU SignatureX Power Cable is designed, hand built and tested in the UK and built from the latest XLPE insulation. Consistently high-quality performance in any environment and across all audio/video applications. Alongside the unique Chord Company ARAY geometry this upgraded mains cable features significantly larger gauge conductors meaning less resistance and greater efficiency.	1m 1,5m 2m 3m Extra Meters	1559 1819 2079 2599 519,9

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Sarum		Lengths	Euro's
	Sarum T Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm Common to the entire Sarum T portfolio, the unique Chord Company Taylon [®] insulation brings the proven advantages of phase stability to a far more affordable price point. Unique Super ARAY conductor geometry and high-performance Company PTFE plug surrounds ensure Sarum T comes a close second to the ChordMusic. Also available as a tonearm version (from 1.2m). RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.	1m Extra Meters TT Fly lead 1,2m	3199 1049,9 3299
	Sarum T Analogue XLR Hand-made construction, like its range stablemates, the Sarum T design a myriad benefits make for an exceptional XLR cable. The hand-building process allows the factory technicians to carefully adapt the conductor layout for the XLR configuration. High-performance plugs offer a reassuringly secure connection.	1m Extra Meters	4499 1299,9
	Sarum T Digital RCA / BNC / XLR (AES-EBU) The proprietary Chord Company Taylon [®] insulation and Super ARAY conductor technology is as relevant in digital cables as it is analogue - possibly more so, given the growing amount of digital sources. Trust Sarum T Digital with signal-carrying duties for complete assurance of an unadulterated transfer to and from digital devices without phase issues compromising sound quality.	1m Extra Meters	3199 1049,9
	Sarum T ARAY USB USB cables built with Sarum T technologies deliver digital music at the highest level, surpassed only by the flagship ChordMusic USB. ChorAlloy™ plated USB connectors to Chord Company's specification ensure perfect synergy with the hand-made interconnect featuring four separately shielded silver-plated conductors, protected with our advanced Taylon [®] insulation for unrivalled phase stability.	1m Extra Meters	3199 1049,9
	Sarum T Streaming Protecting digital source signals is vitally important and Sarum T Streaming harnesses the advanced phase stability of our unique Taylon [®] insulation to stream music everywhere. Precision-made RJ45 connectors with gold-plated and soldered conductors, plus streaming specific Super ARAY conductor geometry to ensure the benefits of this unique technology.	1m Extra Meters	3199 1049,9
	Sarum T speaker cable The original Sarum speaker cable was designed to neither add nor subtract from the signal, and Sarum T speaker progresses the original brief, adding new materials and techniques to advance its capabilities. ChordOhmic loudspeaker plugs up to 16mm with ChorAlloy™ plating, a dedicated clamp, silver-plated-ribbon braid and copper foil shielding - all part of our ongoing obsession with the best possible sound.	2m pair* 3m pair* 5m pair* Extra Mono Meters	4499 6699 11099 1099,9
	Sarum T speaker links High-performance bi-wire speaker links to optimise performance where bi-wire speaker block terminals are used. Fitted with the next-generation, high-performance ChordOhmic banana plugs and spade connectors with ChorAlloy™ plating. Sarum T speaker links ensure every drop of performance is extracted from the speakers and the connecting cable. Length 280mm.	spade 2 4mm or spade 2 spade price includes 4 links	799
	Sarum T Power Cable The perfect complement to Sarum T signal-carrying products, the power cable provides a super-high-quality build, with uncompromising materials and construction to minimise the noise floor. All the internal elements use Taylon [®] to their best advantage, supplying expensive electronics with essential power. Also available in custom lengths, 10 or 16 amp IEC and with European or USA mains plugs	1m Extra Meters	3199 1049,9

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



ChordMusic		Lengths	Euro's
	ChordMusic 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and craftsmanship available. Each cable is built by hand to order. RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.	1m Extra Meters TT Fly lead 1,2m Reference Arm Lead 1,2m Extra Meters	6299 2199 6699 9399 2599
	ChordMusic Analogue XLR With much high-end equipment also offering balanced connectivity options, ChordMusic XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology. XLR connectors feature ChorAlloy™	1m Extra Meters	8899 2599
	ChordMusic Digital RCA / BNC / XLR (AES-EBU) The finest digital cables in the portfolio, ChordMusic Digital delivers the finest binary in its full undiluted glory. A digital cable that neither adds or extracts signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables.	1m Extra Meters	6299 2199
	ChordMusic USB The ChordMusic USB employs Taylon® insulation and 2 layers of noise reduction material. One on the plus and minus signal conductors. Another covering the 5 volt conductors and the USB Super ARAY conductor geometry. There is also a layer of external shielding and finally the white braided outer jacket.	1m Extra Meters	6299 2199
	ChordMusic Digital Streaming ChordMusic streaming cable delivers the very best performance to and from streaming enabled hardware, where the preservation of the original file is of paramount performance. ChordMusic's various technologies align for high-end audio streaming, bringing the benefits of the flagship Taylon® insulation and the Super ARAY conductor configuration.	1m Extra Meters	6299 2199
	ChordMusic speaker cable High-end loudspeakers are a significant audio investment and feeding the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and undistorted speaker cable possible. ChordMusic features Tuned ARAY conductor geometry with obvious clarity and transparency benefits.	2m pair* 3m pair* 5m pair* Extra Mono Meters	8799 13199 21999 2199
	ChordMusic speaker links With most high-end speakers worthy of ChordMusic speaker cable having multiple drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links offer a suitably high-end solution to the basic pins provided with the speaker terminals. Designed to complement the speaker cables, the bi-wire links help achieve the full performance capability of the cable engineering. 280mm length	spade 2 4mm or spade 2 spade price includes 4 links	1599
	ChordMusic Power Cable The flagship power cable, ChordMusic Power contains all of Chord Company's mains' cable know-how, gained over 35 years of UK cable manufacturing. The design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and his insulation, combined with the optimum shielded design, redefines the musical performance.	1m Extra Meters	6299 2199

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



PowerHAUS			Euro's
	PowerHAUS M6 The flagship M6 offers the best performance and utilises three hybrid MainsARRAY's fitted in parallel to the bus bars. PowerHAUS is non-switched, no active filters and neon power indicators which can generate noise and reduce quality. Their solid aluminium construction minimises the unwanted effects of microphony. A high performance 16-amp (C19) IEC allows the PowerHAUS to cope with the most demanding home systems. Standard C19 power cable included. Made in UK.		3399
	PowerHAUS S6 The Chord Company PowerHAUS S6 mains block is the distillation of workin with signal and power transfer and benefits from a unique version of our acclaimed ARRAY technology which has been specially adapted for power distribution. Standard C19 power cable included. Make in UK.		1699
	PowerHaus P6 The P6 uses heavy-gauge internal cables and high-quality sockets, both chosen for their sound performance. These are complemented by a 16 amp IEC input socket suitable for even the most demanding systems. The solid construction also provides the optimum environment for the sophisticated internal cicuitry. C19 cable included.		849
Burndy Bridge			
	The Chord Company Bridge upgrades the lightweight, unshielded shorting plug supplied with NAIM AUDIO streaming equipment, offering a no-compromise, noise reduced connection. It features a machined heavy-gauge aluminium case for both acoustic and electrical isolation. The Taylon® insulated wiring and resin dampened internal assembly further increase this isolation. Available for: Type 3 en 4, NDX, N-DAC, N-272, HDX en SuperLine		659
Burndy Cable			
	ChordBurndy Cable X (XLPE) A clear upgrade path for anyone with Burndy-equipped devices. Chord Co Burndy cables are available in custom lengths and a wide variety of config Designed to connect all compatible Naim Audio products, including the la 12-way and 23 way (Type 3 and Type 4 equipped models) for example the	Type 3	1599
		Type 4	1999
		PS555 (No1)	1599
		PS555 (No2)	1199
		SXPS	1799
		NAC 252	2399
		NAC 52-52PS	2499
		52 -SuperCap	2799
		SNAXO-SL	2699
		NAC 552	2999
	Every cable is hand built to order using multi-stranded sivler-plated OFC conductors with XLPLE insulation, complemented by high-density, silver braid and foil combination HF shielding. These complex and delicate umb are terminated with our unique, crimped Chor alloy™ plated connector pins		
	Chord Company Burndy cables come in at different price levels depending on their complexity, the number of wires needed and material specification. 1,23m standard length, additional length on request		
	ChordBurndy Cable T (Taylon®) A clear upgrade path for anyone with Burndy-equipped devices. Chord Co Burndy cables are available in custom lengths and a wide variety of config Designed to connect all compatible Naim Audio products, including the la 12-way and 23 way (Type 3 and Type 4 equipped models) for example the	Type 3	3199
		Type 4	4099
		PS555 (No1)	3199
		PS555 (No2)	2399
		SXPS	3499
		NVS-TT	3199
		NAC 252	4699
		NAC 52-52PS	4999
		52 -SuperCap	5599
		SNAXO-SL	5299
	Every cable is hand built to order using multi-stranded sivler-plated OFC conductors with Taylon® insulation, complemented by high-density, silver braid and foil combination HF shielding. These complex and delicate umb are terminated with our unique, crimped Chor alloy™ plated connector pins		
	Chord Company Burndy cables come in at different price levels depending complexity, the number of wires needed and material specification. 1,23m standard length, additional length on request	NAC 552	5899
		NAP300 Pair	4699
		NAP 500 Pair	5899

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



ARRAY			Euro's
	GroundArray Reduces the noise level in hifi products. Simply connect GroundARRAY to a socket on your hifi equipment. The advanced technologies provide a very low-impedance high-bandwidth route for HF noise to pass into, effectively noise from the signal ground of the host equipment. Works with different equipment, available with different plug adaptors.	HDMI RCA DIN BNC RJ45 XLR M or F USB Type-A	799
	PowerArray EU Chord Company PowerARRAY is a next generation noise reduction/absorption. PowerARRAY can be connected to unused mains power sockets (wall or distribution block) adjacent to those used to power your hi-fi equipment, providing a low-impedance escape route for HF Noise, reducing the amount entering a hi-fi system, lowering the noise floor and leaving more space for music	EU Version	799
Transmission Fluid			
	Transmission Fluid Transmission Fluid work by deploying polymers to fill pits and imperfections on the surfaces of connections, creating a greater contact area and, therefor, improving the performance of the connection: the lower the resistance, the higher the current signal. Can be applied to all metal contacts, from speaker connections to interconnects.		269
English Electric			
	EE1 The EE1 network isolator is designed to sit discreetly between ethernet cables within a streaming audio/video system and can drastically reduce noise whilst allowing digital signals to pass unhindered. Digital signals are robust but are often accompanied by a degree of noise, usually transferred from home network devices. Hifi.nl 4½* out of 5*		399
	EE1 Plus Advanced Network Noise Isolator fitted with ARRAY technology. Precision machined thick-walled aluminium case with Isolation feet. Self-powered converts unwanted noise to heat targeted filtering reduces damaging network noise. Galvanic isolation blocks low-frequency noise and significantly reduces high-frequency noise whilst maintaining data quality	NEW	799
	EE 8Switch The machined aluminium enclosure offers excellent protection from both electrical and electrical noise. The AV-grade power adaptor has been designed to reduce electrical noise from AC power and prevent mains quality issues from affecting network signals. Eight audio grade 100/1000 T-base gigabit ports make it possible to connect even the most demanding streaming setups. Supplied with 0,75M C-stream.	EU Version	669
Phono Accessoires			
	PhonoARRAY Chord PhonoARRAY allows the user to earth their turntable to the phono input but at the same time reduce the amount of RFI passing through that earth connection. Connections are via two high-quality 4mm speaker style plugs. terminals that can take both 4mm plugs and spade connections. The unit comes supplied with a 50cm screened earth cable.	NEW	1349

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



DC Power Cables for Rega			
	ShawlineX DC cable for Rega PSU The job of a turntable motor is to spin your record with minimum vibration variation and noise. This new cable upgrade has been designed to reduce the pick up of interference/noise and features out acclaimed advanced shielding technology High-speed, silver plated copper conductors. Twisted conductor pairs with single layer foil shield and overall single layer shield. FEP insulation.	1,5m Length Extra Meters	459 129,9
	EpicX DC cable for Rega PSU Rega owners are strongly recommended to give this a trial via participation Chord Company retailers. The cable has been designed to reduce the pick up of interference noise. Epic DC cable takes this to new levels of performance. High-speed, silver plated copper conductors. High coverage dual layer shielded twisted conductor pairs with additional overall dual-layer foil shield. Foal PE insulation.	1,5m Length Extra Meters	869 269,9
DC Power Cables for Plixir / Melco			
	ShawlineX DC cable for Plixir A Chord Company high-performance custom design. Our new range of DC started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. Available in 2.1 or 2.5mm barrel.	1m Length Extra M	389 129,9
	DC cable for Melco S10 A Chord Company high-performance custom design. Our new range of DC started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. This cable sits between PSU and Melco's 10 Ethernet Switch.	ShawlineX SignatureX Sarum 1m Length	519 1499 2999
Installation Cable			
	LeyLineX Installation Loudspeaker Cable 2 or 4 Core 152M Pull Box LeyLine has been designed to bring out the best performance from today's increasingly sophisticated yet affordably priced electronics and loudspeakers and provide consistent and reliable service in environments where cables are non-removable. The cable is metre-marked and is supplied in an easy access 152m pull box, it comes with a EN50575 DCA-S2, D2, A1 CPR rating. It also features a rip-cord to aid stripping the outer jacket and therefor ideal for installers.	2 or 4 core version available	P.O.A.
	LeyLine 2 XL is the quality upgrade for LeyLineX with thicker 14 AWG conductors instead of 16 AWG with the regular LeyLineX. The cable is metre-marked and is supplied in an easy access 152m pull box, it comes with a EN50575 DCA-S2, D2, A1 CPR rating. It also features a rip-cord to aid stripping the outer jacket and therefor ideal for installers.	NEW	P.O.A.

Prices include 21% VAT

CHORD CABLE PRICE LIST SEPT. 25'

(prices are subject to change without notice)

THE
CHORD
COMPANY



Legacy / AV Speaker Cable			
	Sarsen Speaker Cable Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music that you think speaker cable should be heard and not seen. Sarsen is very flexible and 3,2mm in diameter making it very easy to install. 18 AWG. 100M Reel.	3m pair*	249
		mono m.	14,99
		spade extra price per piece	6,99
	RumourX Speaker Cable What Hifi? Speaker Cable Winner 2023. 6mm diameter, neutral and natural sounding speaker cable. Good enough to find its way into everything from budget to seriously high-end audio systems. 16 AWG. 50m Reel.	3m pair*	329
		mono m.	28,99
		spade extra price per piece	6,99
	OdysseyX Speaker Cable A heavier gauge version of Chord RumourX. High performance that brings pretty much any pair of speakers. This helps to bring more detail and dynamics to a system. Also allowing a degree of control and definition that can transform the performance of both floor and stand mounted loudspeakers. 12 AWG. 50m Reel.	3m pair*	419
		mono m.	42,99
		spade extra price per piece	6,99
	4mm plug termination kit Sometimes it's not possible to use a pre-terminated speaker cable. Next best is a set of our unique design 4mm banana plugs.	Set of 4	29,9
Silent Mounts			
	Silent Mount (Stainless Steel) 4 x stainless steel spike mounts for racks or loudspeakers. Hand-crafted in Japan. Available in 50mm and 70mm diameter (for loudspeakers etc.)	4 x 70mm dia	659
		4 x 50mm dia	599
	Silent Mount (Titanium) 4 x titanium spike mounts for racks and components. Hand-crafted in Japan. 50mm diameter	4 x 50mm dia	949
High Level Subwoofer Cables (For REL and many more)			
	Shawline Subwoofer Cable Hand built at Chord Co. HQ with three individually shielded runs of heavy gauge 14 AWG silver plated copper wire, for optimum signal transfer and protection from interference. Features our excellent PTFE dielectric and woven braided shielding, delivering controlled, tight bass while enhancing the entire musical performance of your hifi-system	3 metre	649
		6 metre	1039
		Additional metres	129
	Epic Subwoofer Cable Hand built at Chord Co. HQ with three individually shielded runs of heavy gauge 12 AWG silver plated copper wire, for optimum signal transfer and protection from interference. Features our excellent PTFE dielectric and woven braided shielding, delivering controlled, tight bass while enhancing the entire musical performance of your hifi-system	3 metre	1299
		6 metre	2079
		Additional metres	259

Prices include 21% VAT